

Server

- Self hosted
 - Bookstack
 - pwndrop

Self hosted

Self hosted

Bookstack

this is to install bookstack

<https://youtu.be/uOUBNJuZ9nY>

<https://dbtechreviews.com/2020/06/bookstack-installed-on-docker-and-portainer/>

This is the docker compose

```
---
version: "2"
services:
  bookstack:
    image: lscr.io/linuxserver/bookstack
    container_name: bookstack
    networks:
      - nginxproxymanager_default
    environment:
      - PUID=1000
      - PGID=1000
      - APP_URL=https://book.rml.one
      - DB_HOST=bookstack_db
      - DB_PORT=3306
      - DB_USER=bookstack
      - DB_PASS=ZPzPc=>HMaaCr4rS
      - DB_DATABASE=bookstackapp
    volumes:
      - /home/docker/bookstack/config:/config
    ports:
      - 6875:80
    restart: unless-stopped
    depends_on:
      - bookstack_db
  bookstack_db:
    image: lscr.io/linuxserver/mariadb
```

container_name: bookstack_db

networks:

- nginxproxymanager_default

environment:

- PUID=1000
- PGID=1000
- MYSQL_ROOT_PASSWORD=KJU!wU6xuHw<du/G
- TZ=America/New_York
- MYSQL_DATABASE=bookstackapp
- MYSQL_USER=bookstack
- MYSQL_PASSWORD=ZPzPc=>HMaaCr4rS

volumes:

- /home/docker/bookstack/db:/config

restart: unless-stopped

networks:

nginxproxymanager_default:

external: true

Self hosted

pwndrop

<https://dbtechreviews.com/2020/07/pwndrop-installed-on-docker/>

```
---
version: "2.1"
services:
  pwndrop:
    image: linuxserver/pwndrop
    container_name: pwndrop
    environment:
      - PUID=1000
      - PGID=1000
      - TZ=Europe/London
      - SECRET_PATH=/pwndrop #optional
    volumes:
      - /path/to/appdata:/config
    ports:
      - 8123:8080
    restart: unless-stopped
```